

Processing Item Information Sheet (PIIS)

“Microbial DNA Extraction from Stool” 2020_R1 Scheme

This sheet contains all the information on the **Stool Processing Item** that you should be aware of to conduct the above mentioned Scheme. **Please read carefully before performing any operation on the provided sample.**

Processing Item Description

- Source material: Stool from healthy donor.
- Packaging: Omnigene.Gut OMR-200 tube.
- Date of Preparation: August 2020.
- Testing of Biological Hazard: Not applicable.
- Biosafety level: All operations have been conducted in a BSL 2 environment.
- Homogeneity and Stability Information: Homogeneity of the Processing Item was controlled and confirmed in September 2020. Stability of the Processing Item is at least 60 days at Room Temperature (data from Omnigene.Gut OMR-200 tube manufacturer).

Instructions to Prepare the Processing Item for Extraction

- Any storage requirement between receipt and processing date: Store at **-80°C**. DNA extraction should be performed within 1 week of receipt.

Particular Handling/Safety Requirements

- Potential risks of Processing Item: Exempt of infectious risk.
- Individual protection equipment required: Standard laboratory equipment (laboratory coat, gloves).
- In case of puncture or cuts: Abundantly wash with water and then disinfect during 10 minutes.
- In case of projection in the eye: Abundantly wash with water or physiologic serum during 5 minutes.
- In case of projection on the mucous membranes and skin: Wash with water.
- Measures to take in case of accidental dispersion: Pulverise disinfectant and clean the concerned surface.
- Waste elimination procedures: Waste generated by healthcare activities, to eliminate in incinerable plastic containers.

Scheme Specifications

- Please extract **Microbial DNA** from the Processing Item following your **usual routine DNA extraction method**.
- You will be asked to report information under the following scheme: **Microbial DNA Extraction from Stool**.
- Please be ready to enter the following information:
 - Kit used (PerkinElmer MSM I[®], Norgen Biotek All-In-One[®], QIAamp DNA Stool Mini Kit , MoBio PowerFecal[®] DNA Isolation Kit, MoBio PowerSoil[®] DNA Isolation Kit, MoBio PowerMag[®] Microbiome RNA/DNA Isolation Kit, Other);
 - Extraction method (salting out, magnetic bead-based, silica membrane-based, unsure, other);
 - Volume of stool used for DNA extraction (ml) (stool + stabilizer);
 - Use of RNase;
 - Elution buffer composition (elution buffer from the kit, water, TE, AE, other) and elution volume (μl);
 - Extraction equipment.

What to Submit

- Once you have extracted DNA from the stool (according to your extraction method), you pipet all the extracted DNA in the provided labelled Matrix 0.5 ml. The tube is already labelled with your Laboratory Number and the name of the Scheme (DNASTL20). **Make sure to properly close the tube to avoid evaporation.**
- As soon as extracted, the DNA tube must **immediately** be shipped to the following address:

IBBL, PT Programme
Biorepository
1 Rue Louis Rech
L-3555 Dudelange
LUXEMBOURG

- For the shipment, use at least a **padded envelope** and send your aliquot back to IBBL by **registered mail** or using the **courier** of your choice.
- Please note that IBBL cannot receive your sample on Saturdays nor Sundays.
- Your data must be submitted online on the PT website <http://biospecimenpt.ibbl.lu/> using the login information (Laboratory Number and Password) provided to you via email after the registration to the “Microbial DNA Extraction from Stool” Scheme.
- Please complete the questionnaire as accurately as possible, adding any relevant detail and comment in the appropriate section.

Timelines

<i>Shipment of the extracted DNA to IBBL</i>	<i>Data Submission</i>	<i>Data analysis & Report preparation</i>	<i>Reports available</i>
Immediately after extraction Before 20 NOV 2020	20 NOV 2020, latest	23 NOV 2020– 22 JAN 2021	26 FEB 2021

In case of doubts in the completion phase, please contact IBBL at ISBERPT@ibbl.lu